



Experience Better Living



Season  
2023/2024

Embrace Comfort  
without Compromise



## Balmoral









INSET ELECTRIC FIRE

BAL20BR



Balmoral Brass

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

### Balmoral Brass



Brass



### Manual Control




### Spacer Kit



OSP004

# Balmoral



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	7.9

Product Features	
Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20BR
Material Code	X-047496
Barcode	5011139047496
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

Product Features	
Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brass

## Balmoral









INSET ELECTRIC FIRE

BAL20CH



Balmoral Chrome

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

### Balmoral Chrome



Chrome



### Manual Control




### Spacer Kit



OSP004

# Balmoral



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	7.9

Product Features	
Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20CH
Material Code	X-047502
Barcode	5011139047502
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

Product Features	
Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Chrome

## Savena









INSET ELECTRIC FIRE

SAV20CH



Savena Brushed Chrome

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Flame effect without heat
-  Coal/Pebble fuel bed
-  LED lighting
-  Side switch control

### Savena



Brushed Chrome



### Manual Control




### Spacer Kit




OSP004

# Savena



W 463mm



D 150mm

H 615mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	150	8.5

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Savena
Flame Effect	Optiflame
Model Reference	SAV20CH
Material Code	X-047519
Barcode	5011139047519
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal/Pebbles

## Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brushed Chrome

## Kingsley Deluxe

FREESTANDING ELECTRIC FIRE

KNG20XBR



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

### Kingsley Deluxe



### Remote Control



### Flame Effect





# Kingsley Deluxe



W 639mm

D 194mm

H 682mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

## Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

## Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XBR
Material Code	500001035
Barcode	5053285137119
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / brass

## Kingsley Deluxe

FREESTANDING ELECTRIC FIRE

KNG20XCH



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

### Kingsley Deluxe



### Remote Control



### Flame Effect



# Kingsley Deluxe



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

## Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

## Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XCH
Material Code	500001019
Barcode	5053285137126
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / chrome

## Portree





INSET ELECTRIC FIRE

POR20CH3D



Portree

### Features

-  Unique Optiflame 3D effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control

### Portree



### Remote Control




### Fuel Bed




Coals, logs, crystals & pebbles

# Portree



W 517mm



D 195mm

H 613mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
613	517	195	13

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Portree
Flame Effect	Optiflame 3D
Model Reference	POR20CH3D
Material Code	400000030
Barcode	5011139078780
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame 3D Effect	Y
Flame Type	Optiflame 3D
Flame Effect Only	Y
Fuel Bed Supplied	Coals, logs, crystals & pebbles

## Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer kit	Y - 400000490
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel / metal / plastic
Finish / Colour	Chrome / brass

## Atherton









INSET ELECTRIC FIRE

ATH20



Atherton

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Atherton



Remote Control

Fuel Bed



# Atherton



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

Product Features	
Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Atherton
Flame Effect	Optimyst
Model Reference	ATH20
Material Code	X-059109
Barcode	5011139059109
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features	
Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Bellemont









INSET ELECTRIC FIRE

BLL20



Bellemont

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Bellemont



### Remote Control



### Fuel Bed





## Bellemont



W 463mm

D 196mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Bellemont
Flame Effect	Optimyst
Model Reference	BLL20
Material Code	X-059116
Barcode	5011139059116
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Bramdean










FREESTANDING ELECTRIC FIRE

BMD20



Bramdean

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only
-  Freestanding

### Bramdean



Remote Control



Fuel Bed



## Bramdean



W 556mm

D 217mm

H 670mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
670mm	556mm	217mm	8kg

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Bramdean
Flame Effect	Optimyst
Model Reference	BMD20
Material Code	X-060877
Barcode	5011139060877
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer Kit	N/A
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Crestmore









INSET ELECTRIC FIRE

CRS20



Crestmore

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Crestmore



### Fuel Bed




### Remote Control




### Touch screen control



# Crestmore



W 486mm



D 207mm

H 625mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
625	486	207	7.5

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Crestmore
Flame Effect	Optimyst
Model Reference	CRS20
Material Code	X-060808
Barcode	5011139060808
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (above canopy)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	Y - X-072047
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass

## Flagstaff









INSET ELECTRIC FIRE

FLG20



Flagstaff

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Flagstaff



### Remote Control



### Fuel Bed



# Flagstaff



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Flagstaff
Flame Effect	Optimyst
Model Reference	FLG20
Material Code	X-059123
Barcode	5011139059123
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome / Black









## Penngrove

INSET ELECTRIC FIRE

PNN20



### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Penngrove



### Fuel Bed



### Remote Control




### Touch screen control






# Penngrove



W 486mm



D 207mm

H 625mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
625	486	207	7.5

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Penngrove
Flame Effect	Optimyst
Model Reference	PNN20
Material Code	X-060815
Barcode	5011139060815
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (above canopy)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

## Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	Y - X-072047
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome

## Pomona









INSET ELECTRIC FIRE

POM20



Pomona

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Pomona




### Remote Control



### Fuel Bed



## Pomona



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Pomona
Flame Effect	Optimyst
Model Reference	POM20
Material Code	X-059130
Barcode	5011139059130
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome / Black

## Ropley










FREESTANDING ELECTRIC FIRE

RPL20



Ropley

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only
-  Freestanding

### Ropley



### Remote Control



### Fuel Bed



## Ropley



W 556mm



H 670mm

D 217mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
670mm	556mm	217mm	8kg

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Ropley
Flame Effect	Optimyst
Model Reference	RPL20
Material Code	X-061669
Barcode	5011139061669
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer Kit	N/A
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Bari











FREESTANDING ELECTRIC STOVE

BAR20



Bari

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Bari



### Remote Control



### Manual Control



## Bari



W 440mm

D 315mm

H 550mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
550	440	315	9.6

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bari
Flame Effect	Optiflame
Model Reference	BAR20
Material Code	X-102096
Barcode	5011139102096
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic
Finish / Colour	Black

### Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434










## Bayport

FREESTANDING ELECTRIC STOVE

BYP20



### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

### Bayport



### Remote Control



### Manual Control





## Bayport



W 440mm

D 280mm

H 580mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
580	440	280	7.7

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bayport
Flame Effect	Optimyst
Model Reference	BYP20
Material Code	X-059086
Barcode	5011139059086
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

## Brayford










FREESTANDING ELECTRIC STOVE

BFD20BRG



Brayford Burgundy

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only

### Brayford Burgundy



### Remote Control



### Manual Control



## Brayford



W 440mm

D 315mm

H 550mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
550	440	315	11.5

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Brayford
Flame Effect	Optiflame
Model Reference	BFD20BRG
Material Code	X-068392
Barcode	5011139068392
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Burgundy

## Courchevel











FREESTANDING ELECTRIC STOVE

CVL20E



Courchevel

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Courchevel




### Remote Control

- On/off



Logs

## Courchevel



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	510	340	16.7

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Courchevel
Flame Effect	Optiflame
Model Reference	CVL20E
Material Code	X-061461
Barcode	5011139061461
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	White

## Fullerton











FREESTANDING ELECTRIC STOVE

FLN20



Fullerton

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Coal & log effect fuel bed
-  Flame effect only
-  Opening doors

### Fullerton



### Remote Control



### Fuel Bed



Coals & logs

# Fullerton



W 620mm

D 390mm

H 660mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

## Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Fullerton
Flame Effect	Optiflame
Model Reference	FLN20
Material Code	X-068095
Barcode	5011139068095
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Cream

## Leckford











FREESTANDING ELECTRIC STOVE

LEC20



Leckford

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening doors

### Leckford



### Remote Control



### Fuel Bed



Coals & logs



# Leckford



W 620mm

D 390mm

H 660mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

## Accessories

STP001 Stove Pipe	400000434
-------------------	-----------

## Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Leckford
Flame Effect	Optiflame
Model Reference	LEC20
Material Code	X-059222
Barcode	5011139059222
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black











## Lucia

FREESTANDING ELECTRIC STOVE

LUC20



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Lucia



### Remote Control



### Fuel Bed



Logs

## Lucia



W 508mm

D 344mm

H 597mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	508	344	16

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind Door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Lucia
Flame Effect	Optiflame
Model Reference	LUC20
Material Code	X-071736
Barcode	5011139071736
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Black










## Microstove

FREESTANDING ELECTRIC STOVE

MCFSTV12E




### Features

-  Unique Optiflame effect
-  1.2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Manual control
-  Log effect fuel bed
-  Flame effect only
-  Freestanding

### Microstove



# Microstove



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
422	351	220	6

## Product Features

Heat Output	1.2kW
Heat Settings	600W / 1.2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Back of product
On/Off Switch	Y
Remote Control	N
Batteries Included	N/A
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

## Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

## Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Microstove
Flame Effect	Optiflame
Model Reference	MCFSTV12E
Material Code	X-061522
Barcode	5011139061522
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic
Finish / Colour	Black

## Tango










FREESTANDING ELECTRIC STOVE

TNG20E



Tango

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal effect fuel bed
-  Flame effect only
-  Opening door

### Tango




### Remote Control



### Manual Control



## Tango



W 440mm

D 295mm

H 547mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
547	440	295	11

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Tango
Flame Effect	Optiflame
Model Reference	TNG20E
Material Code	X-061485
Barcode	5011139061485
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coal

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Black

### Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

## Willowbrook










FREESTANDING ELECTRIC STOVE

WLL20



Willowbrook

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

### Willowbrook



### Remote Control




### Fuel Bed



Logs



# Willowbrook



W 440mm

D 305mm

H 582mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
582	440	305	11.5

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

## Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

## Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Willowbrook
Flame Effect	Optimyst
Model Reference	WLL20
Material Code	X-060792
Barcode	5011139060792
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

## Artesia

WALL ELECTRIC FIRE

ART20



Artesia

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only
-  Volume
-  Backlight
-  Bluetooth

### Colour options



Blue



Green



Red



Orange


### Remote Control



### Flame Effect



# Artesia



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	830	155	15kg

Product Features	
Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Artesia
Flame Effect	Optiflame
Model Reference	ART20
Material Code	X-061942
Barcode	5011139061942
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Bach











WALL ELECTRIC FIRE

BCH20E



Bach

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Variable flame brightness
-  Run-back timer (8 hours)
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only

### Bach



### Remote Control



### Flame Effect



## Bach



W 696mm



D 183mm

H 600mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
600	696	183	16.4kg

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs effect

### Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Bach
Flame Effect	Optiflame
Model Reference	BCH20E
Material Code	X-061256
Barcode	5011139061256
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA / BEAB
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Chassis can be inset into wall
View of fire	1 sided
Lamp Type	LED
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic / Glass
Finish / Colour	Dark Grey/Black

## Diamantique

WALL ELECTRIC FIRE

DIAM14E



Diamantique

### Features

-  Unique Optiflame effect
-  1.4kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal fuel bed
-  Flame effect only

### LED Colours



Blue



Purple



Green



Red


### Remote Control



### Flame Effect



# Diamantique



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
555	860	165	15.6kg

Product Features	
Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Diamantique
Flame Effect	Optiflame
Model Reference	DIAM14E
Material Code	X-061294
Barcode	5011139061294
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	1.4kW
Heat Settings	2 - 700W / 1.4kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Mirrored Glass

## Optimyst Wall Fire








WALL ELECTRIC FIRE

RTOPW20E



Optimyst Wall Fire

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Remote control
-  Log fuel bed
-  Flame effect only

### Optimyst Wall Fire



### Remote Control




### Fuel Bed



Logs



# Optimyst Wall Fire



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
692	900	172	20.4

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 2 x AAA
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	1.1 Litre
Fuel Bed Supplied	Logs

## Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Optimyst Wall Fire
Flame Effect	Optimyst
Model Reference	RTOPW20E
Material Code	X-061348
Barcode	5011139061348
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB, FSC
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built-in	N
View of fire	1 Sided
Lamp Type	4 x 45W Halogen Bulb (Amber coated MR16)
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/metal/MDF
Finish / Colour	Black

## SP16

WALL ELECTRIC FIRE

SP16



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Variable flame brightness
-  Downlight
-  LED lighting
-  Remote control
-  Pulsating Log effect fuel bed
-  Flame effect only

### SP16



### Remote Control



### Flame Effect



## SP16



W 1200mm



D 182mm

H 525mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
525	1200	182	34.9kg

### Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	SP16
Flame Effect	Optiflame
Model Reference	SP16E
Material Code	X-061270
Barcode	5011139061270
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA / BEAB
Guarantee Period	1 year

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs effect

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Chassis can be inset into wall
View of fire	1 sided
Lamp Type	LED
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic / Glass
Finish / Colour	Black chassis/Dark grey metal frame

## Tahoe








WALL ELECTRIC FIRE

TAH20E



Tahoe

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Tahoe



### Optional Pebble Fuel Bed



Pebbles

### Remote Control




### Fuel Bed



Coals

# Tahoe



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
692	900	172	20.4

Product Features	
Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Tahoe
Flame Effect	Optimyst
Model Reference	TAH20E
Material Code	X-TAH20E
Barcode	5011139655066
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 2 x AAA
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	1.1 Litre
Fuel Bed Supplied	Coals*

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built-in	N
View of fire	1 Sided
Lamp Type	4 x 45W Halogen Bulb (Amber coated MR16)
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/metal/MDF
Finish / Colour	Black

\* Optional Pebble Fuel Bed - OMWFBP

## Toluca

WALL ELECTRIC FIRE

TLC20



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only

### Colour options



Blue



Green



Red



Amber


### Remote Control



### Flame Effect



# Toluca



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	820	155	12.5kg

Product Features	
Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Toluca
Flame Effect	Optiflame
Model Reference	TLC20
Material Code	X-060785
Barcode	5011139060785
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Ignite 50

BUILT-IN ELECTRIC FIRE

XLF50



Ignite 50

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange



White

### Remote Control



### Manual Control




### Accessories

**Driftwood River Rock 50"**  
X-LF50DWS-KIT





## Ignite 50



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1306	147	30kg

Product Features	
Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Note \* Driftwood River Rock available as an accessory.

Product Features	
Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF50
Material Code	X-210272
Barcode	5011139210272
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Ignite 60


BUILT-IN ELECTRIC FIRE

XLF60



Ignite 60

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange



White

### Remote Control



### Manual Control




### Accessories

**Driftwood River Rock 74"**  
X-LF74DWS-KIT



## Ignite 60



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1560	147	33kg

Product Features	
Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Note \* Driftwood River Rock available as an accessory.

Product Features	
Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF60
Material Code	500001874
Barcode	5011139084514
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Ignite 74

BUILT-IN ELECTRIC FIRE

XLF74



Ignite 74

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange



White

### Remote Control



### Manual Control




### Accessories

**Driftwood River Rock 74"**  
X-LF74DWS-KIT



## Ignite 74



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1941	147	39.2kg

Product Features	
Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Note \* Driftwood River Rock available as an accessory.

Product Features	
Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF74
Material Code	X-210289
Barcode	5011139210289
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Ignite 100

BUILT-IN ELECTRIC FIRE

XLF100



Ignite 100

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange



### Remote Control



### Manual Control




### Accessories

**Driftwood River Rock 50"**  
X-LF50DWS-KIT x 2



## Ignite 100



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	2576	147	50.7kg

### Product Features

Heat Output	2kW
Heat Settings	1.8 - 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Note \* Driftwood River Rock available as an accessory.

### Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF100
Material Code	X-210296
Barcode	5011139210296
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Prism 34

BUILT-IN / WALL ELECTRIC FIRE

BLF3451-UK



Prism 34


### Features

-  Unique Optiflame effect
-  1.1kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only
-  Flexible installation


### Colour Options




Orange



Green



Blue



Purple



Red



White



White Blue

### Remote Control



### Manual Control





# Prism 34



W 867mm



D 179mm

H 494mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
494	867	179	22.4kg

## Product Features

Heat Output	1.1kW
Heat Settings	2 - 600W / 1.1kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice

## Product Features

Product Category	Electric Fires
Product Type	Built-in/Wall
Brand	Dimplex
Model/Range Name	Prism
Flame Effect	Optiflame
Model Reference	BLF3451-UK
Material Code	500002071
Barcode	5011139084668
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Prism 50

BUILT-IN / WALL ELECTRIC FIRE

BLF5051-UK



Prism 50


### Features

-  Unique Optiflame effect
-  1.1kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only
-  Flexible installation


### Colour Options




Orange



Green



Blue



Purple



Red



White



White Blue

### Remote Control



### Manual Control



# Prism 50



W 1280mm

D 179mm

H 494mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
494	1280	179	32.5kg

## Product Features

Heat Output	1.1kW
Heat Settings	2 - 600W / 1.1kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice

## Product Features

Product Category	Electric Fires
Product Type	Built-in/Wall
Brand	Dimplex
Model/Range Name	Prism
Flame Effect	Optiflame
Model Reference	BLF5051-UK
Material Code	500002072
Barcode	5011139084675
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Prism 74

BUILT-IN / WALL ELECTRIC FIRE

BLF7451-UK




Prism 74

### Features

-  Unique Optiflame effect
-  1.1kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only
-  Flexible installation

### Colour Options



Orange

Green

Blue

Purple



Red

White

White Blue

### Remote Control



### Manual Control



# Prism 74



H 494mm

W 1883mm



D 187mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
494	1883	187	47.2kg

## Product Features

Heat Output	1.1kW
Heat Settings	2 - 600W / 1.1kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice

## Product Features

Product Category	Electric Fires
Product Type	Built-in/Wall
Brand	Dimplex
Model/Range Name	Prism
Flame Effect	Optiflame
Model Reference	BLF7451-UK
Material Code	500002073
Barcode	5011139084682
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Chadwick


FREESTANDING ELECTRIC SUITE

CDW15XHD



Chadwick

### Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of flame effect
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Chadwick



### Remote Control




### Fuel Bed



Logs

# Chadwick



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
915	933	297	36.1

Product Features	
Heat Output	1.5kW
Heat Setting	1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame XHD
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Chadwick
Flame Effect	Optiflame
Model Reference	CDW15XHD
Material Code	500000699
Barcode	5011139211811
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB, FSC
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Glass / Steel
Finish / Colour	Cream

## Marbello










FREESTANDING ELECTRIC SUITE

MBL20



Marbello

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Manual control
-  Pebble effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Marbello



### Remote Control




### Fuel Bed



Pebbles



# Marbello



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
870	910	220	20.7

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Marbello
Flame Effect	Optiflame
Model Reference	MBL20
Material Code	X-055354
Barcode	5011139055354
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB, FSC
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Beneath canopy
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Pebbles

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Travertine Marble Style/Black

## Mozart










FREESTANDING ELECTRIC SUITE

MZT20BL-E



Mozart Black

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


### Mozart



### Remote Control




### Fuel Bed



Logs

# Mozart



W 920mm

D 375mm

H 857mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
857	920	375	40

## Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Mozart
Flame Effect	Optiflame
Model Reference	MZT20BL-E
Material Code	400000066
Barcode	5011139061553
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black

## Mozart










FREESTANDING ELECTRIC SUITE

MZT20E



Mozart Cream

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


### Mozart



### Remote Control




### Fuel Bed



Logs

# Mozart



W 920mm

D 375mm

H 857mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
857	920	375	40

## Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Mozart
Flame Effect	Optiflame
Model Reference	MZT20E
Material Code	X-061546
Barcode	5011139061546
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Cream

## Mini Mozart










FREESTANDING ELECTRIC SUITE

MMZ15E



Mini Mozart

### Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


### Mini Mozart



### Remote Control




### Fuel Bed



Logs

## Mini Mozart



W 700mm

D 260mm

H 750mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
750	700	260	20

### Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Mini Mozart
Flame Effect	Optiflame
Model Reference	MMZ15E
Material Code	500000135
Barcode	5011139061577
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

### Product Features

Heat Output	1.5kW
Heat Settings	0.75kW / 1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Cream

## Oakmead Suite











FREESTANDING ELECTRIC SUITE

OKM20



Oakmead

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Oakmead



Suite




Stove



Side view

### Remote Control




### Manual Controls





# Oakmead Suite



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
1000	1040	340	40.2

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Oakmead Suite
Flame Effect	Optiflame
Model Reference	OKM20
Material Code	X-062154
Barcode	5011139062154
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB, FSC
Guarantee Period	1 year

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom of Stove
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Some assembly required
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Metal
Finish / Colour	White, Grey, Oak/ Black Stove

## Orvieto









FREESTANDING ELECTRIC SUITE

MCFP150-E



Orvieto

### Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


### Orvieto



### Remote Control




### Fuel Bed



Logs

# Orvieto



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
750	700	260	19.7

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Orvieto
Flame Effect	Optiflame
Model Reference	MCFP150-E
Material Code	X-061706
Barcode	5011139061706
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Heat Output	1.5kW
Heat Settings	2 - 0.75kW / 1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Oak



Millbrook House  
Grange Drive  
Hedge End  
Southampton  
SO30 2DF

T: 0344 879 1227  
E: [flamesupportuk@glendimplex.com](mailto:flamesupportuk@glendimplex.com)

[www.dimplex.co.uk](http://www.dimplex.co.uk)



@dimplexfires

